

# Semantics and Verification 2006

## Lecture 5

- Hennessy-Milner logic
- syntax and semantics
- correspondence with strong bisimilarity
- examples in CWB

# Verifying Correctness of Reactive Systems

Let *Impl* be an implementation of a system (e.g. in CCS syntax).

### Equivalence Checking Approach

$$Impl \equiv Spec$$

- $\equiv$  is an abstract equivalence, e.g.  $\sim$  or  $\approx$
- *Spec* is often expressed in the same language as *Impl*
- *Spec* provides the full specification of the intended behaviour

### Model Checking Approach

$$Impl \models Property$$

- $\models$  is the satisfaction relation
- *Property* is a particular feature, often expressed via a logic
- *Property* is a partial specification of the intended behaviour

# Model Checking of Reactive Systems

### Our Aim

Develop a logic in which we can express interesting properties of reactive systems.

# Logical Properties of Reactive Systems

### Modal Properties – what can happen **now** (possibility, necessity)

- drink a coffee (can drink a coffee now)
- does not drink tea
- drinks both tea and coffee
- drinks tea after coffee

### Temporal Properties – behaviour in **time**

- never drinks any alcohol  
(**safety property**: nothing bad can happen)
- eventually will have a glass of wine  
(**liveness property**: something good will happen)

Can these properties be expressed using equivalence checking?

# Hennessy-Milner Logic – Syntax

### Syntax of the Formulae ( $a \in Act$ )

$$F, G ::= tt \mid ff \mid F \wedge G \mid F \vee G \mid \langle a \rangle F \mid [a]F$$

Intuition:

- $tt$  all processes satisfy this property
- $ff$  no process satisfies this property
- $\wedge, \vee$  usual logical AND and OR
- $\langle a \rangle F$  there is at least one  $a$ -successor that satisfies  $F$
- $[a]F$  all  $a$ -successors have to satisfy  $F$

### Remark

Temporal properties like *always/never in the future* or *eventually* are not included.

# Hennessy-Milner Logic – Semantics

Let  $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$  be an LTS.

### Validity of the logical triple $p \models F$ ( $p \in Proc, F$ a HM formula)

- $p \models tt$  for each  $p \in Proc$
- $p \models ff$  for no  $p$  (we also write  $p \not\models ff$ )
- $p \models F \wedge G$  iff  $p \models F$  and  $p \models G$
- $p \models F \vee G$  iff  $p \models F$  or  $p \models G$
- $p \models \langle a \rangle F$  iff  $p \xrightarrow{a} p'$  for some  $p' \in Proc$  such that  $p' \models F$
- $p \models [a]F$  iff  $p' \models F$ , for all  $p' \in Proc$  such that  $p \xrightarrow{a} p'$

We write  $p \not\models F$  whenever  $p$  does not satisfy  $F$ .

## What about Negation?

For every formula  $F$  we define the formula  $F^c$  as follows:

- $tt^c = ff$
- $ff^c = tt$
- $(F \wedge G)^c = F^c \vee G^c$
- $(F \vee G)^c = F^c \wedge G^c$
- $(\langle a \rangle F)^c = [a]F^c$
- $([a]F)^c = \langle a \rangle F^c$

### Theorem ( $F^c$ is equivalent to the negation of $F$ )

For any  $p \in Proc$  and any HM formula  $F$

- 1  $p \models F \implies p \not\models F^c$
- 2  $p \not\models F \implies p \models F^c$

## Image-Finite Labelled Transition System

### Image-Finite System

Let  $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$  be an LTS. We call it **image-finite** iff for every  $p \in Proc$  and every  $a \in Act$  the set

$$\{p' \in Proc \mid p \xrightarrow{a} p'\}$$

is finite.

## Hennessy-Milner Logic – Denotational Semantics

For a formula  $F$  let  $\llbracket F \rrbracket \subseteq Proc$  contain all states that satisfy  $F$ .

### Denotational Semantics: $\llbracket \_ \rrbracket : Formulae \rightarrow 2^{Proc}$

- $\llbracket tt \rrbracket = Proc$
- $\llbracket ff \rrbracket = \emptyset$
- $\llbracket F \vee G \rrbracket = \llbracket F \rrbracket \cup \llbracket G \rrbracket$
- $\llbracket F \wedge G \rrbracket = \llbracket F \rrbracket \cap \llbracket G \rrbracket$
- $\llbracket \langle a \rangle F \rrbracket = \langle \cdot, a \cdot \rrbracket \llbracket F \rrbracket$
- $\llbracket [a]F \rrbracket = [\cdot, a \cdot] \llbracket F \rrbracket$

where  $\langle \cdot, a \cdot \rangle, [\cdot, a \cdot] : 2^{Proc} \rightarrow 2^{Proc}$  are defined by

$$\langle \cdot, a \cdot \rangle S = \{p \in Proc \mid \exists p'. p \xrightarrow{a} p' \text{ and } p' \in S\}$$

$$[\cdot, a \cdot] S = \{p \in Proc \mid \forall p'. p \xrightarrow{a} p' \implies p' \in S\}$$

## Relationship between HM Logic and Strong Bisimilarity

### Theorem (Hennessy-Milner)

Let  $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$  be an image-finite LTS and  $p, q \in St$ . Then

$$p \sim q$$

if and only if

$$\text{for every HM formula } F: (p \models F \iff q \models F).$$

## The Correspondence Theorem

### Theorem

Let  $(Proc, Act, \{\xrightarrow{a} \mid a \in Act\})$  be an LTS,  $p \in Proc$  and  $F$  a formula of Hennessy-Milner logic. Then

$$p \models F \text{ if and only if } p \in \llbracket F \rrbracket.$$

Proof: by structural induction on the structure of the formula  $F$ .

## CWB Session

### hm.cwb

```
agent S = a.S1;
agent S1 = b.0 + c.0;

agent T = a.T1 + a.T2;
agent T1 = b.0;
agent T2 = c.0;
```

borg\$ /pack/FS/CWB/cwb

```
> input "hm.cwb";
> print;
> help logic;
> checkprop(S, <a>(<b>T & <c>T));
true
> checkprop(T, <a>(<b>T & <c>T));
false
> help dfstrong;
> dfstrong(S,T);
[a]<b>T
> exit;
```