

# Complexity of Weak Bisimilarity and Regularity for BPA and BPP

JIŘÍ SRBA<sup>†</sup>

BRICS<sup>‡</sup>

*Department of Computer Science*

*University of Aarhus*

*Ny Munkegade bld. 540*

*DK-8000 Aarhus C, Denmark*

srba@brics.dk

*Received 28 November 2001*

It is an open problem whether weak bisimilarity is decidable for Basic Process Algebra (BPA) and Basic Parallel Processes (BPP). A *PSPACE* lower bound for BPA and *NP* lower bound for BPP were demonstrated by Stribrna. Mayr recently achieved a result, saying that weak bisimilarity for BPP is  $\Pi_2^P$ -hard. We improve this lower bound to *PSPACE*, moreover for the restricted class of *normed* BPP.

Weak regularity (finiteness) of BPA and BPP is not known to be decidable either. In the case of BPP there is a  $\Pi_2^P$ -hardness result by Mayr, which we improve to *PSPACE*. No lower bound has previously been established for BPA. We demonstrate *DP*-hardness, which in particular implies both *NP* and *co-NP*-hardness.

In each of the bisimulation/regularity problems we consider also the classes of normed processes. Finally we show how the technique for proving *co-NP* lower bound for weak bisimilarity of BPA can be applied to strong bisimilarity of BPP.

## 1. Introduction

This paper compares the classes of purely sequential processes BPA and purely parallel processes BPP w.r.t. the complexity of weak bisimilarity/regularity checking. An intensive study of a variety of process algebras based on the interleaving model of CCS (see (Milner 1989)) has taken place in recent years. Lots of activity has been focused on the analysis of infinite state systems. Two central questions are decidability and complexity of certain behavioural equivalences (for a survey see (Moller 1996)) and verification of system properties expressed in suitable logics — model checking (for a survey see (Burkart and Esparza 1997)).

<sup>†</sup> The author is supported in part by the GACR, grant No. 201/00/0400.

<sup>‡</sup> Basic Research in Computer Science,  
Centre of the Danish National Research Foundation.

In this paper we address the first question with a special focus on bisimulation equivalence. *Strong bisimulation equivalence* is known to be decidable for the classes of Basic Process Algebra (BPA) (Christensen et al. 1995) and Basic Parallel Processes (BPP) (Christensen et al. 1993). The only known lower bound is *co-NP*-hardness for unnormed BPP achieved by Mayr (Mayr 2000a). No elementary upper bound is established for this problem. For unnormed BPA, the strong bisimilarity problem is known to be in  $2\text{-EXPTIME}$  (Burkart et al. 1995) and no lower bound is known. *Strong regularity (finiteness)* for BPA and BPP is also decidable (Burkart et al. 1996; Jancar and Esparza 1996). If we restrict ourself to *normed* processes, there are even polynomial time algorithms for strong bisimilarity/regularity of BPA and BPP (Hirshfeld et al. 1996a; Hirshfeld et al. 1996b; Kucera 1996).

However, we consider the notion of *weak bisimilarity*, which is a more general equivalence than strong bisimilarity, in the sense that it allows to abstract from internal behaviour of processes by introducing a *silent action*  $\tau$ , which is not observable (Milner 1989).

Decidability of weak bisimulation equivalence and weak regularity (finiteness) for BPA and BPP are well known open problems. Weak bisimilarity is known to be semi-decidable for BPP (Esparza 1995) and there are also partial results, e.g. by Hirshfeld (Hirshfeld 1996), showing decidability of weak bisimilarity for restricted classes of so called *totally normed* BPA and BPP. Stribrna proved in (Stribrna 1998b) *NP*-hardness for these restricted classes. Nevertheless, nonbisimilarity in the classes of totally normed BPA and BPP is finitely approximable (Stribrna 1998a). There is a very recent result by Stirling (Stirling 2001) showing that weak bisimilarity is decidable for a subclass of normed BPP where nonbisimilarity is not finitely approximable. Unfortunately, the result does not imply decidability for the whole class of normed BPP, which is still an open problem.

Some results are also known about weak bisimilarity of BPA/BPP with finite state systems (Jancar et al. 1998; Kucera and Mayr 1999). In spite of the fact that weak bisimilarity and regularity are not known to be decidable, only a few lower bounds have been found so far. This could indicate that these problems might still be decidable, but probably with worse complexity and more sophisticated algorithms than for strong bisimilarity and regularity.

For weak bisimilarity in the BPA class, *PSPACE*-hardness was proved by Stribrna (Stribrna 1998b), using a reduction from *totality problem for finite nondeterministic automata*. No lower bound has previously been established for weak regularity in this class.

In the class of BPP, weak bisimilarity appeared to be *NP*-hard (Stribrna 1998b). This result was recently improved by Mayr (Mayr 2000a) to  $\Pi_2^P$  (in the polynomial hierarchy). In the same paper,  $\Pi_2^P$ -hardness for weak regularity is proved.

There are also some results about lower bounds for strong bisimilarity of PDA (Mayr 2000b) and for model checking problems of BPA (Mayr 1998) and PDA (Walukiewicz 1996; Bouajjani et al. 1997).

**Our contribution.** We show *PSPACE*-hardness of weak bisimilarity for BPP, thus improving the  $\Pi_2^P$ -hardness result by Mayr, and moreover we prove our result for the

restricted class of *normed* BPP. This result can be transformed to weak regularity for BPP, thus achieving *PSPACE* lower bound (again even for normed processes).

For the class of BPA we prove *DP*-hardness of weak regularity, which in particular means both *NP* and *co-NP*-hardness. Moreover *NP*-hardness can be transformed to the normed case.

All these results hold also for PA (Process Algebra (Baeten and Weijland 1990)), which is a natural “union” of BPA and BPP, where we are allowed to use both sequential and parallel composition.

In the last section we prove a *co-NP* lower bound for strong bisimilarity of BPP. This result was recently demonstrated by Mayr (Mayr 2000a) in Theorem 4. We give a substantially different and hopefully simpler proof, using a similar technique as for weak bisimilarity of BPA. This should justify including the result here.

The paper is structured as follows. In Section 2 we give definitions of labelled transition systems, process rewrite systems, weak bisimilarity and the corresponding bisimilarity game. In Section 3 we show *PSPACE*-hardness of weak bisimilarity and regularity for BPP and in Section 4 we demonstrate that weak regularity for BPA is both *NP* and *co-NP*-hard. Section 5 deals with strong bisimilarity of BPP and we prove here that the problem is *co-NP* hard by using techniques introduced in Section 4. Finally, in Section 6 we conclude with summarising the current state of knowledge of weak bisimilarity and regularity problems for BPA and BPP.

## 2. Basic definitions

Transition systems (Plotkin 1981; Moller 1996) are widely used to give semantics to concurrent processes. Processes are understood as nodes of a certain transition system and the transition relation is defined in a compositional way.

**Definition 2.1 (Labelled transition system).** A *labelled transition system* is a triple  $(S, \mathcal{Act}, \longrightarrow)$  where

- $S$  is a set of *states* (or *processes*)
- $\mathcal{Act}$  is a set of *labels* (or *actions*)
- $\longrightarrow \subseteq S \times \mathcal{Act} \times S$  is a *transition relation*, written  $\alpha \xrightarrow{a} \beta$ , for  $(\alpha, a, \beta) \in \longrightarrow$ .

To describe an infinite transition system in a finite way, we can use process algebras. Let  $\mathcal{Act}$  and  $Const$  be countable sets of *actions* and *process constants* such that  $\mathcal{Act} \cap Const = \emptyset$ . Moreover suppose that  $\mathcal{Act}$  contains a distinguishable *silent action*  $\tau$ . Let  $Op \subseteq \{., \parallel\}$ . We define the class of *process expressions over Op* as

$$E_{Op}^{Const} ::= \epsilon \mid X \mid E \otimes E$$

where  $\epsilon$  is the *empty process*,  $X$  ranges over  $Const$  and  $\otimes$  ranges over  $Op$ . The operator ‘.’ is a *sequential composition*, and ‘ $\parallel$ ’ stands for a *parallel composition*. In what follows we will not distinguish between process expressions related by a *structural congruence*, which is the smallest congruence over process expressions such that the following laws hold:

- ‘.’ is associative
- ‘||’ is associative and commutative
- ‘ε’ is a unit for ‘.’ and ‘||’.

In this paper we consider the class of PA (Process Algebra (Baeten and Weijland 1990)) expressions  $E_{\{., ||\}}^{\mathcal{C}onst}$  and its natural subclasses; BPA (Basic Process Algebra, also known as context-free processes) expressions  $E_{\{., \}$ }^{\mathcal{C}onst} with only sequential composition; and BPP (Basic Parallel Processes) expressions  $E_{\{||\}}$ ^{\mathcal{C}onst} with only parallel composition.

**Definition 2.2 (Process rewrite system).** A PA (resp. BPA or BPP) process rewrite system (PRS) (Mayr 2000c) is a finite set  $\Delta$  of rules of the form  $X \xrightarrow{a} E$ , where  $X \in \mathcal{C}onst$ ,  $a \in \mathcal{A}ct$  and  $E \in E_{\{., ||\}}^{\mathcal{C}onst}$  (resp.  $E \in E_{\{., \}}^{\mathcal{C}onst}$  or  $E \in E_{\{||\}}^{\mathcal{C}onst}$ ).

Let us denote the set of actions and process constants that appear in  $\Delta$  as  $\mathcal{A}ct(\Delta)$  resp.  $\mathcal{C}onst(\Delta)$  (note that these sets are finite). A process rewrite system  $\Delta$  determines a transition system  $(S, \mathcal{A}ct, \longrightarrow)$  where the states are process expressions over  $\mathcal{C}onst(\Delta)$ , i.e.  $S = E_{\mathcal{C}onst(\Delta)}^{\mathcal{C}onst(\Delta)}$ , and  $\mathcal{A}ct = \mathcal{A}ct(\Delta)$  is the set of labels. The transition relation  $\longrightarrow$  is the least relation satisfying the following SOS rules (recall that ‘||’ is commutative).

$$\frac{(X \xrightarrow{a} E) \in \Delta}{X \xrightarrow{a} E} \quad \frac{E \xrightarrow{a} E'}{E.F \xrightarrow{a} E'.F} \quad \frac{E \xrightarrow{a} E'}{E||F \xrightarrow{a} E'||F}$$

As usual we extend the transition relation to the elements of  $\mathcal{A}ct^*$ . We also write  $E \longrightarrow^* E'$ , whenever  $E \xrightarrow{w} E'$  for some  $w \in \mathcal{A}ct^*$ . A state  $E'$  is *reachable from a state  $E$*  iff  $E \longrightarrow^* E'$ .

**Definition 2.3 (Weak transition relation).** A weak transition relation  $\Longrightarrow$  is defined as follows:

$$\Longrightarrow \stackrel{a}{\text{def}} \begin{cases} \tau^* \circ \xrightarrow{a} \circ \tau^* & \text{if } a \neq \tau \\ \xrightarrow{\tau} & \text{if } a = \tau. \end{cases}$$

We define a *process* as a pair  $(P, \Delta)$ , where  $P$  is a process expression and  $\Delta$  is a process rewrite system. *States* of  $(P, \Delta)$  are the states of the corresponding transition system. We say that a state  $E$  is *reachable* iff  $P \longrightarrow^* E$ . Whenever  $(P, \Delta)$  has only finitely many reachable states, we call it a *finite-state process*.


**Example 2.1.** Consider BPA processes  $(X, \Delta_1)$ ,  $(X', \Delta_1)$  and BPP processes  $(Y, \Delta_2)$ ,  $(Y', \Delta_2)$  where  $\Delta_1$  is given by

$$\begin{array}{cccc} X \xrightarrow{\tau} X.A & X \xrightarrow{\tau} \epsilon & X' \xrightarrow{\tau} X & X' \xrightarrow{a} C \\ A \xrightarrow{a} \epsilon & C \xrightarrow{a} C & & \end{array}$$

and  $\Delta_2$  is given by

$$\begin{array}{cccc} Y \xrightarrow{\tau} Y||A & Y \xrightarrow{\tau} \epsilon & Y' \xrightarrow{\tau} Y & Y' \xrightarrow{a} C \\ A \xrightarrow{a} \epsilon & C \xrightarrow{a} C. & & \end{array}$$

Fragments of transition systems generated by  $(X, \Delta_1)$ ,  $(X', \Delta_1)$ ,  $(Y, \Delta_2)$  and  $(Y', \Delta_2)$  can be seen in Figure 1. Observe that  $X \Longrightarrow^a A^{(n)}$  for any  $n \geq 0$  where  $A^{(n)}$  stands for

Fig. 1. Processes  $(X, \Delta_1)$ ,  $(X', \Delta_1)$ ,  $(Y, \Delta_2)$  and  $(Y', \Delta_2)$ .

$\underbrace{A \dots A}_{n \times}$ . Similarly any state of the form  $A^{\parallel(n)}$  for  $n \geq 0$  is reachable in  $(Y, \Delta_2)$ . Here  $A^{\parallel(n)}$  stands for  $\underbrace{A \parallel \dots \parallel A}_{n \times}$ . Thus we have examples of processes with infinite branching.

Important subclasses of process algebras can be obtained by an extra restriction on the involved processes — *normedness*.

**Definition 2.4 (Normed processes).** A process expression  $E$  is *normed* iff there is  $w \in \text{Act}^*$  such that  $E \xrightarrow{w} \epsilon$ . A process  $(P, \Delta)$  is *normed* if any state reachable from  $P$  is normed; in our case a sufficient condition for  $(P, \Delta)$  to be normed is that all process

constants  $X \in \text{Const}(\Delta)$  are normed. We say that  $(P, \Delta)$  is *totally normed* iff it is normed and moreover there is no transition  $X \xrightarrow{\tau} \epsilon$  for any  $X \in \text{Const}(\Delta)$ .

We remind the reader of the fact that normedness is easily decidable in polynomial time.

**Example 2.2.** The process expressions  $A^{\cdot(n)}$  and  $A^{\parallel(n)}$  from Example 2.1 are normed since  $A^{\cdot(n)} \xrightarrow{a^n} \epsilon$  and  $A^{\parallel(n)} \xrightarrow{a^n} \epsilon$ . However, the processes  $(X', \Delta_1)$  and  $(Y', \Delta_2)$  are not normed since the unnormed process constant  $C$  is reachable in both of them. Processes  $(X, \Delta_1)$  and  $(Y, \Delta_2)$  are normed but not totally normed.

Now, we introduce the concept of *weak bisimilarity* (Park 1981; Milner 1989).

**Definition 2.5 (Weak bisimulation).** A binary relation  $R \subseteq E_{Op}^{\text{Const}} \times E_{Op}^{\text{Const}}$  over process expressions is a relation of *weak bisimulation* iff whenever  $(E, F) \in R$  then for each  $a \in \text{Act}$ :

- if  $E \xrightarrow{a} E'$  then  $F \xrightarrow{a} F'$  for some  $F'$  such that  $(E', F') \in R$
- if  $F \xrightarrow{a} F'$  then  $E \xrightarrow{a} E'$  for some  $E'$  such that  $(E', F') \in R$ .

Processes  $(P_1, \Delta_1)$  and  $(P_2, \Delta_2)$  are *weakly bisimilar*, written  $(P_1, \Delta_1) \approx (P_2, \Delta_2)$ , iff there is a weak bisimulation  $R$  such that  $(P_1, P_2) \in R$ . Note that without loss of generality we can suppose that  $\Delta_1 = \Delta_2$  since we can always consider a disjoint union of  $\Delta_1$  and  $\Delta_2$  as a new  $\Delta$ .

**Example 2.3.** Processes  $(A^{\cdot(n)}, \Delta_1)$  and  $(A^{\parallel(n)}, \Delta_2)$  from Example 2.1 are weakly bisimilar whereas  $(X, \Delta_1) \not\approx (X', \Delta_1)$  and  $(Y, \Delta_2) \not\approx (Y', \Delta_2)$ . For details see Example 2.4.

If we assume that  $\tau$  does not appear in a process rewrite system  $\Delta$  then the relations  $\Longrightarrow$  and  $\longrightarrow$  coincide and we call the corresponding version of bisimilarity *strong bisimilarity* and denote it by  $\sim$ .

Bisimulation equivalence has an elegant characterisation in terms of *bisimulation games* (Thomas 1993; Stirling 1995).

**Definition 2.6 (Bisimulation game).** A bisimulation game on a pair of processes  $(P_1, \Delta)$  and  $(P_2, \Delta)$  is a two-player game of an ‘attacker’ and a ‘defender’. The game is played in rounds. In each round

- the attacker chooses one of the processes and makes an  $\xrightarrow{a}$ -move for some  $a \in \text{Act}(\Delta)$  and
- the defender must respond by making an  $\xrightarrow{a}$ -move in the other process under the same action  $a$ .

Now the game repeats, starting from the new processes. If one player cannot move, the other player wins. If the game is infinite, the defender wins.

The following theorem is standard.

**Theorem 2.1.** The processes  $(P_1, \Delta)$  and  $(P_2, \Delta)$  are weakly bisimilar iff the defender has a winning strategy (and non-bisimilar iff the attacker has a winning strategy).

**Remark 2.1.** Note that the previous theorem is valid also in the case when we change slightly the rules of the game: the attacker is allowed to perform only a single  $\xrightarrow{a}$ -move whereas the defender can respond with an  $\xRightarrow{a}$ -move. The attacker can now simulate an  $\xRightarrow{a}$ -move by a corresponding sequence of single moves.

**Example 2.4.** Consider Example 2.1 again. We show that  $(X, \Delta_1) \not\approx (X', \Delta_1)$ . The attacker's winning strategy is the following. He plays in the process  $X'$  by performing an  $\xrightarrow{a}$  move and reaching the state  $C$ . The defender can only respond by  $X \xRightarrow{a} A^{(n)}$  for some  $n$ . However, now the attacker can perform  $n + 1$  moves  $C \xrightarrow{a} C$  and the defender loses since he can perform only  $n$  of  $\xRightarrow{a}$ -moves from the process  $A^{(n)}$ . Similarly  $(Y, \Delta_2) \not\approx (Y', \Delta_2)$  — in this case the attacker in addition has to switch twice between the processes  $(Y, \Delta_2)$  and  $(Y', \Delta_2)$ .

Let us now assume a bisimulation game with fixed number  $k$  of rounds. If the attacker cannot win during at most  $k$  rounds then the defender wins. For a pair of processes  $(P_1, \Delta)$  and  $(P_2, \Delta)$  we say that they are *weakly bisimilar up to level  $k$*  if the defender has a winning strategy for  $k$  rounds. We write  $(P_1, \Delta) \approx_k (P_2, \Delta)$  if it is the case and we call  $\approx_k$  *weak bisimulation approximants* (Baeten et al. 1987; Milner 1989).

Observe that in Example 2.1,  $(X, \Delta_1) \approx_k (X', \Delta_1)$  and  $(Y, \Delta_2) \approx_k (Y', \Delta_2)$  for any natural number  $k$ . The defender can always generate enough process constants  $A$  using the  $\tau$  actions to protect himself in  $k$  rounds for any fixed  $k$ . On the other hand  $(X, \Delta_1) \not\approx (X', \Delta_1)$  and  $(Y, \Delta_2) \not\approx (Y', \Delta_2)$ . This is an example of BPA and BPP processes where nonbisimilarity is not finitely approximable. There are several papers (Baeten et al. 1987; Stribrna 1998a; Stribrna 1999; Stirling 2001) studying the bisimulation approximants and it is known that strong nonbisimilarity in the class of BPA and BPP is finitely approximable. This holds even for any pair of processes where one of them is finitely branching (Baeten et al. 1987). The classes of totally normed BPA and BPP w.r.t. weak bisimilarity are also finitely approximable (Stribrna 1998a). The only positive decidability result for a process algebra where weak nonbisimilarity is not finitely approximable is due to Stirling (Stirling 2001).

### 3. Hardness of Weak Bisimilarity and Regularity for BPP

<b>Problem:</b>	Weak bisimilarity of (normed) BPP
<b>Instance:</b>	Two (normed) BPP processes $(P_1, \Delta)$ and $(P_2, \Delta)$ .
<b>Question:</b>	$(P_1, \Delta) \approx (P_2, \Delta)$ ?

We show that weak bisimilarity of normed BPP is *PSPACE*-hard. We prove it by reduction from  $\text{QSAT}^\dagger$ , which is known to be *PSPACE*-complete (Papadimitriou 1994).

<sup>†</sup> This problem is known also as QBF, for *Quantified Boolean formula*.

---



---

<b>Problem:</b>	<u>QSAT</u>
<b>Instance:</b>	A natural number $n$ and a Boolean formula $\phi$ in conjunctive normal form with Boolean variables $x_1, \dots, x_n$ and $y_1, \dots, y_n$ .
<b>Question:</b>	Is $\forall x_1 \exists y_1 \forall x_2 \exists y_2 \dots \forall x_n \exists y_n. \phi$ true?

---



---

A *literal* is a variable or the negation of a variable. Let

$$C \equiv \forall x_1 \exists y_1 \forall x_2 \exists y_2 \dots \forall x_n \exists y_n. C_1 \wedge C_2 \wedge \dots \wedge C_k$$

be an instance of QSAT, where each *clause*  $C_j$ ,  $1 \leq j \leq k$ , is a disjunction of literals. We define the following BPP processes  $(P_1, \Delta)$  and  $(P_2, \Delta)$ , where

$$\text{Const}(\Delta) = \{Q_1, \dots, Q_k, X_1, \dots, X_n, Y_1, \dots, Y_n\}$$

and

$$\text{Act}(\Delta) = \{q_1, \dots, q_k, x_1, \dots, x_n, \bar{x}_1, \dots, \bar{x}_n, y\}.$$

For each  $i$ ,  $1 \leq i \leq n$ , let

$\alpha_i$  be a parallel composition of process constants from  $\{Q_1, \dots, Q_k\}$  such that  $Q_j$  appears in  $\alpha_i$  iff the literal  $x_i$  occurs in  $C_j$  (i.e. if  $x_i$  is set to true then  $C_j$  is satisfied),

$\bar{\alpha}_i$  be a parallel composition of process constants from  $\{Q_1, \dots, Q_k\}$  such that  $Q_j$  appears in  $\bar{\alpha}_i$  iff the literal  $\neg x_i$  occurs in  $C_j$  (i.e. if  $x_i$  is set to false then  $C_j$  is satisfied),

$\beta_i$  be a parallel composition of process constants from  $\{Q_1, \dots, Q_k\}$  such that  $Q_j$  appears in  $\beta_i$  iff the literal  $y_i$  occurs in  $C_j$ ,

$\bar{\beta}_i$  be a parallel composition of process constants from  $\{Q_1, \dots, Q_k\}$  such that  $Q_j$  appears in  $\bar{\beta}_i$  iff the literal  $\neg y_i$  occurs in  $C_j$ .

The set of transition rules  $\Delta$  is given by

$$\begin{array}{lll} X_i \xrightarrow{x_i} Y_i \parallel \alpha_i & X_i \xrightarrow{\bar{x}_i} Y_i \parallel \bar{\alpha}_i & \text{for } 1 \leq i \leq n \\ \\ Y_i \xrightarrow{y} X_{i+1} \parallel \beta_i & Y_i \xrightarrow{y} X_{i+1} \parallel \bar{\beta}_i & \text{for } 1 \leq i \leq n-1 \\ Y_n \xrightarrow{y} \beta_n & Y_n \xrightarrow{y} \bar{\beta}_n & \\ \\ X_i \xrightarrow{q_j} X_i & Y_i \xrightarrow{q_j} Y_i & \text{for } 1 \leq i \leq n \text{ and } 1 \leq j \leq k \\ \\ Q_j \xrightarrow{q_j} Q_j & Q_j \xrightarrow{\tau} \epsilon & \text{for } 1 \leq j \leq k. \end{array}$$

Finally, let

$$P_1 \stackrel{\text{def}}{=} X_1 \parallel Q_1 \parallel Q_2 \parallel \dots \parallel Q_k \quad \text{and} \quad P_2 \stackrel{\text{def}}{=} X_1.$$

We can see the processes  $P_1$  and  $P_2$  using Petri net notation in Figure 2. This figure is only illustrative, and some transitions, namely  $X_i \xrightarrow{q_j} X_i$  and  $Y_i \xrightarrow{q_j} Y_i$  for  $1 \leq i \leq n$ ,  $1 \leq j \leq k$  are missing. The curly lines stand for the corresponding sets of arrows for  $\alpha_i$ ,  $\bar{\alpha}_i$ ,  $\beta_i$  resp.  $\bar{\beta}_i$ . The intuition is that the attacker will be forced to play only in the process  $P_1$  and if  $C$  is true then the defender will have the possibility to add all the process constants  $\{Q_1, \dots, Q_k\}$ .




Fig. 2. The processes  $(P_1, \Delta)$  and  $(P_2, \Delta)$  as Petri nets.

Let  $\gamma$  be a parallel composition of elements from  $\text{Const}(\Delta)$ . We define the set of process constants that occur in  $\gamma$  as  $\text{set}(\gamma) \stackrel{\text{def}}{=} \{X \in \text{Const}(\Delta) \mid X \text{ occurs in } \gamma\}$  and we also define  $\text{set}_Q(\gamma) \stackrel{\text{def}}{=} \text{set}(\gamma) \cap \{Q_1, \dots, Q_k\}$ . The following proposition is an immediate consequence of the definition of  $\Delta$ .

**Proposition 3.1.** Let  $\gamma$  and  $\gamma'$  be parallel compositions of some process constants from  $\{Q_1, \dots, Q_k\}$ . Then  $\text{set}_Q(\gamma) = \text{set}_Q(\gamma')$  if and only if  $(\gamma, \Delta) \approx (\gamma', \Delta)$ .

We want to show that  $C$  is true if and only if  $(P_1, \Delta) \approx (P_2, \Delta)$ .

**Lemma 3.1.** If  $(P_1, \Delta) \approx (P_2, \Delta)$  then  $C$  is true.

*Proof.* We show that  $(P_1, \Delta) \not\approx (P_2, \Delta)$ , supposing that  $C$  is false. If  $C$  is false then  $C' \stackrel{\text{def}}{=} \exists x_1 \forall y_1 \exists x_2 \forall y_2 \dots \exists x_n \forall y_n. \neg(C_1 \wedge C_2 \wedge \dots \wedge C_k)$  is true and from this we claim that the attacker has a winning strategy in the bisimulation game for  $(P_1, \Delta)$  and  $(P_2, \Delta)$ . The attacker plays only in the process  $P_1$  (without using  $\tau$  actions) performing the following sequence of actions

$$\tilde{x}_1, y, \tilde{x}_2, y, \dots, \tilde{x}_n, y$$

where  $\tilde{x}_i$ ,  $1 \leq i \leq n$ , corresponds to either  $x_i$  or  $\bar{x}_i$ , depending on the truth values for which the formula  $C'$  is true. It does not matter, how the choice of the rule for the action  $y$  is solved. The defender can only respond by performing the same actions

$\tilde{x}_1, y, \tilde{x}_2, y, \dots, \tilde{x}_n, y$  (eventually using some  $\tau$  actions). The actions  $\tilde{x}_1, \dots, \tilde{x}_n$  are forced. For the action  $y$  there are always two possibilities, corresponding to assigning a truth value for some  $y_i$ ,  $1 \leq i \leq n$ . Finally the processes  $P_1$  and  $P_2$  are in states  $P'_1$  and  $P'_2$ , respectively, such that  $\text{set}(P'_1) = \{Q_1, \dots, Q_k\}$  and  $\text{set}(P'_2) \subseteq \{Q_1, \dots, Q_k\}$ . Since we assume that  $C'$  is true, there must be a clause  $C_j$ ,  $1 \leq j \leq k$ , which is not satisfied. Hence  $Q_j \notin \text{set}(P'_2)$  and  $P'_2$  cannot perform  $q_j$ . However,  $q_j$  is enabled in  $P'_1$  and thus the attacker has a winning strategy. This implies that  $(P_1, \Delta) \not\approx (P_2, \Delta)$ .  $\square$

Note that the winning strategy for the attacker in the proof above does not require any switching of sides (the attacker plays only on the side of the process  $P_1$ ). For the proof of the opposite direction let us first observe the following property of  $(P_1, \Delta)$  and  $(P_2, \Delta)$  above. Let  $\delta$  be some state such that  $\text{set}(\delta) \cap \{Q_1, \dots, Q_k\} = \emptyset$  and let  $\gamma$  and  $\gamma'$  be parallel compositions of some process constants from  $\{Q_1, \dots, Q_k\}$  satisfying the condition that  $\text{set}_Q(\gamma) \supseteq \text{set}_Q(\gamma')$ . Let us consider the processes  $\delta \parallel \gamma$  and  $\delta \parallel \gamma'$ . Whenever the attacker chooses any move in the second one, the defender has an answer, which makes these two processes weakly bisimilar (using  $\tau$  actions to eliminate the extra process constants  $Q_j$  from the first process and then by Proposition 3.1). We are now ready to prove the following lemma.

**Lemma 3.2.** If  $C$  is true then  $(P_1, \Delta) \approx (P_2, \Delta)$ .

*Proof.* Let  $P'_1$  and  $P'_2$  denote successors of  $P_1$  and  $P_2$ , respectively, in the bisimulation game. The defender's strategy is to satisfy the following conditions during the game:

- $\text{set}_Q(P'_1) \supseteq \text{set}_Q(P'_2)$  and
- never delete (using  $\tau$  actions) any process constant  $Q_j$ ,  $1 \leq j \leq k$ , in the process  $P'_2$ , unless it is necessary for satisfying the first condition.

Of course these conditions are true at the beginning of the game. Using the argument above this lemma, we can see that whenever the attacker makes a move in the process  $P'_2$ , he immediately loses, since the defender can make the resulting processes weakly bisimilar. This means that the only possible winning strategy for the attacker is to keep playing in  $P'_1$ . However, now the defender can always fulfil the conditions of his strategy. On a move containing  $x_i$  resp.  $\bar{x}_i$  there is only one possible response for the defender. Whenever the attacker makes a  $y$  move, the defender chooses one of the rules  $Y_i \xrightarrow{y} X_{i+1} \parallel \beta_i$  and  $Y_i \xrightarrow{y} X_{i+1} \parallel \bar{\beta}_i$ , such that the formula  $\forall x_{i+1} \exists y_{i+1} \dots \forall x_n \exists y_n. C_1 \wedge \dots \wedge C_k$  is still true. Since we have the rules  $X_i \xrightarrow{q_j} X_i$  and  $Y_i \xrightarrow{q_j} Y_i$  for any  $i, j$  such that  $1 \leq i \leq n$  and  $1 \leq j \leq k$ , the only possibility for the attacker to win is to perform some sequence

$$\tilde{x}_1, y, \tilde{x}_2, y, \dots, \tilde{x}_n, y$$

possibly including also some  $\tau$  actions and then reach some state  $P'_1$ , where  $\text{set}(P'_1) \subseteq \{Q_1, \dots, Q_k\}$ . Since  $C$  is true the defender can always get to a corresponding state  $P'_2$ , where  $\text{set}(P'_1) = \text{set}(P'_2)$ . Hence (using Proposition 3.1) the attacker loses again. This means that the defender has a winning strategy and so  $(P_1, \Delta) \approx (P_2, \Delta)$ .  $\square$

**Theorem 3.1.** Weak bisimilarity of normed BPP is *PSPACE*-hard.

*Proof.* Observe that all the process constants in  $\Delta$  are normed and that the reduction is in polynomial time. The theorem is then an immediate consequence of Lemma 3.1 and Lemma 3.2.  $\square$

**Corollary 3.1.** Weak bisimilarity of BPP is *PSPACE*-hard.

*Proof.* Directly from Theorem 3.1.  $\square$

**Remark 3.1.** Theorem 3.1 can be easily extended to 1-safe Petri nets where each transition has exactly one input place (for the definition of 1-safe Petri nets see e.g. (Jategaonkar and Meyer 1996)). It is enough to introduce for each  $\alpha_i/\overline{\alpha_i}$  and  $\beta_i/\overline{\beta_i}$ ,  $1 \leq i \leq n$ , a new set of process constants  $\{Q_1, \dots, Q_k\}$  to ensure that in each reachable marking there is at most one token in every place. Related results about 1-safe Petri nets can be found in (Jategaonkar and Meyer 1996).

Another problem we will analyse, is weak regularity of BPP processes.

---



---

<b>Problem:</b>	Weak regularity of (normed) BPP
<b>Instance:</b>	A (normed) BPP process $(P, \Delta)$ .
<b>Question:</b>	Is there a finite-state process $(F, \Delta')$ such that $(P, \Delta) \approx (F, \Delta')$ ?

---



---

Mayr has proved that weak regularity of BPP is  $\Pi_2^P$ -hard (Mayr 2000a), demonstrating a reduction from the weak bisimilarity problem between a pair of special processes with finitely many reachable states. It can be easily seen that his proof works also for a general pair of weakly regular processes and moreover it preserves normedness.

**Theorem 3.2 ((Mayr 2000a)).** Let  $(P_1, \Delta)$  and  $(P_2, \Delta)$  be weakly regular BPP processes. We can construct in polynomial time a BPP process  $(P, \Delta')$  such that

$$(P_1, \Delta) \approx (P_2, \Delta) \iff (P, \Delta') \text{ is weakly regular.}$$

Moreover, if  $(P_1, \Delta)$  and  $(P_2, \Delta)$  are normed, so is  $(P, \Delta')$ .

Observe that the processes  $P_1$  and  $P_2$  from the proof of *PSPACE*-hardness of weak bisimilarity (Theorem 3.1) are regular and moreover they are normed. This gives the following theorem with an immediate corollary.

**Theorem 3.3.** Weak regularity of normed BPP is *PSPACE*-hard.

*Proof.* Because of Theorem 3.2, there is a reduction from a *PSPACE*-hard problem of weak bisimilarity for normed BPP to weak regularity of normed BPP.  $\square$

**Corollary 3.2.** Weak regularity of BPP is *PSPACE*-hard.

#### 4. Hardness of Weak Bisimilarity and Regularity for BPA

In this section we consider the same problems for BPA, as we did for BPP.

<b>Problem:</b>	Weak bisimilarity of (normed) BPA
<b>Instance:</b>	Two (normed) BPA processes $(P_1, \Delta)$ and $(P_2, \Delta)$ .
<b>Question:</b>	$(P_1, \Delta) \approx (P_2, \Delta)$ ?
<b>Problem:</b>	Weak regularity of (normed) BPA
<b>Instance:</b>	A (normed) BPA process $(P, \Delta)$ .
<b>Question:</b>	Is there a finite-state process $(F, \Delta')$ such that $(P, \Delta) \approx (F, \Delta')$ ?

First, we show that there is a reduction from weak bisimilarity of regular BPA to weak regularity. The idea of the proof is similar to the case of BPP mentioned above from (Mayr 2000a).

**Theorem 4.1.** Let  $(P_1, \Delta)$  and  $(P_2, \Delta)$  be weakly regular BPA processes. We can construct in polynomial time a BPA process  $(P, \Delta')$  such that

$$(P_1, \Delta) \approx (P_2, \Delta) \iff (P, \Delta') \text{ is weakly regular.}$$

Moreover, if  $(P_1, \Delta)$  and  $(P_2, \Delta)$  are normed, so is  $(P, \Delta')$ .

*Proof.* Assume that  $(P_1, \Delta)$  and  $(P_2, \Delta)$  are weakly regular BPA processes. We construct a BPA process  $(P, \Delta')$  with

$$\text{Const}(\Delta') \stackrel{\text{def}}{=} \text{Const}(\Delta) \cup \{A, B, C, B_1, B_2\}$$

and

$$\text{Act}(\Delta') \stackrel{\text{def}}{=} \text{Act}(\Delta) \cup \{a\}$$

where  $A, B, C, B_1, B_2$  are new process constants and  $a$  is a new action. Then  $\Delta' \stackrel{\text{def}}{=} \Delta \cup \Delta^1 \cup \Delta^2$ , where  $\Delta^1$  and  $\Delta^2$  are defined as follows. The set of transition rules  $\Delta^1$  is given by

$$\begin{array}{ll} A \xrightarrow{a} A.B & A \xrightarrow{\tau} \epsilon \\ B \xrightarrow{a} \epsilon & B \xrightarrow{\tau} \epsilon \\ \\ C \xrightarrow{a} B_1 & C \xrightarrow{a} P_1 \\ B_1 \xrightarrow{a} B_1 & B_1 \xrightarrow{a} P_1 \end{array}$$

and  $\Delta^2$  is given by

$$\begin{array}{ll} C \xrightarrow{a} B_2 & C \xrightarrow{a} P_2 \\ B_2 \xrightarrow{a} B_2 & B_2 \xrightarrow{a} P_2. \end{array}$$

Let  $P \stackrel{\text{def}}{=} A.C$ . Observe that if  $(P_1, \Delta)$  and  $(P_2, \Delta)$  are normed, so is  $(P, \Delta')$ . We show now that our reduction is correct.

**Lemma 4.1.** If  $(P_1, \Delta) \not\approx (P_2, \Delta)$  then  $(P, \Delta')$  is not weakly regular.




Fig. 3. The winning strategy for the attacker ( $i < j$ ).

*Proof.* Suppose that  $(P_1, \Delta) \not\approx (P_2, \Delta)$ . Then we demonstrate that there are infinitely many weakly nonbisimilar states reachable from  $P$ . Let us consider  $B^i.C$  for any natural number  $i$ . Of course  $P \xrightarrow{*} B^i.C$  and we claim that  $(B^i.C, \Delta') \not\approx (B^j.C, \Delta')$  for any  $i \neq j$ . Without loss of generality assume that  $i < j$ . The attacker has the following winning strategy (playing only in the second process — see Figure 3). He performs a sequence of  $j$  actions  $a$  in  $B^j.C$ , thus reaching  $C$ . Since  $B^i$  cannot do this sequence, the defender has to reach  $C$  eventually (let us say after  $i'$  steps, where  $i' \leq i$ ). As neither  $P_1$  nor  $P_2$  can perform  $a$ , he has only two choices when responding to the action  $a$  — either  $C \xrightarrow{a} B_1$  or  $C \xrightarrow{a} B_2$ . Assume that he chooses  $B_1$  (the other case is symmetric). Now the defender's only possibility is to stay in  $B_1$  for another  $a^{j-i'-1}$  moves of the attacker. After the attacker has reached  $C$  (in the second process), he chooses to go to  $P_2$  in the next round. If the defender stays in  $B_1$  he loses immediately and if he moves to  $P_1$  he loses as well, since  $(P_1, \Delta') \not\approx (P_2, \Delta')$ .  $\square$

**Lemma 4.2.** If  $(P_1, \Delta) \approx (P_2, \Delta)$  then  $(P, \Delta')$  is weakly regular.

*Proof.* Assume that  $(P_1, \Delta) \approx (P_2, \Delta)$ , which implies that  $(P, \Delta') \approx (P, \Delta'')$ , where  $\Delta'' = \Delta' \setminus \Delta^2$  (weak bisimilarity is a congruence on BPA). Notice that  $(B_1, \Delta'')$  is weakly regular, so it is enough to show that  $(A.C, \Delta'') \approx (B_1, \Delta'')$ . Obviously,  $(C, \Delta'') \approx (B_1, \Delta'')$ , which implies that for any  $n \geq 0$ ,  $(B^n.C, \Delta'') \approx (B_1, \Delta'')$  since  $B_1 \xrightarrow{a} B_1$  and  $B^n \xrightarrow{\tau^*} \epsilon$ . This gives that  $(A.B^n.C, \Delta'') \approx (B_1, \Delta'')$  for any  $n \geq 0$ , which in particular means that  $(A.C, \Delta'') \approx (B_1, \Delta'')$ .  $\square$

Theorem 4.1 is an immediate consequence of Lemma 4.1 and Lemma 4.2.  $\square$

In the paper by Stribrna (Stribrna 1998b) it is shown (Theorem 2.5) that weak bisimilarity for totally normed BPA is NP-hard. The proof is by reduction from a variant of the bin-packing (knapsack) problem and the processes in this proof have finitely many reachable states (and so they are weakly regular). Thus we can use Theorem 4.1 to obtain the following result with an obvious corollary.

**Theorem 4.2.** Weak regularity of normed BPA is *NP*-hard.

**Corollary 4.1.** Weak regularity of BPA is *NP*-hard.

We remind the reader of the fact that *PSPACE*-hardness of weak bisimilarity for BPA achieved by Stribrna (Stribrna 1998b) does not imply *PSPACE*-hardness of weak regularity for BPA, since the described processes are not regular. In the next theorem, however, we prove that weak regularity for BPA is not only *NP*-hard but also *co-NP*-hard. This we demonstrate by showing that weak bisimilarity for BPA is *co-NP*-hard, where the involved processes are finite-state (nevertheless they are unnormed in this case).

**Theorem 4.3.** Weak regularity of BPA is *co-NP*-hard.

*Proof.* We reduce the complement of 3-SAT (Papadimitriou 1994) to weak bisimilarity of weakly regular BPA and then we use Theorem 4.1.

---



---

<b>Problem:</b>	<u>3-SAT COMPLEMENT</u>
<b>Instance:</b>	A natural number $n$ and a Boolean formula $\phi$ in disjunctive normal form with implicants of length 3 and with Boolean variables $x_1, \dots, x_n$ .
<b>Question:</b>	Is $\forall x_1 \forall x_2 \dots \forall x_n. \phi$ true?

---



---

Let

$$D \equiv \forall x_1 \forall x_2 \dots \forall x_n. D_1 \vee D_2 \vee \dots \vee D_k$$

be an instance of 3-SAT COMPLEMENT, where each implicant  $D_j$ ,  $1 \leq j \leq k$ , is a conjunction of three literals. Let us define the following BPA processes  $(X_1, \Delta)$  and  $(X'_1, \Delta)$ , where

$$\text{Const}(\Delta) \stackrel{\text{def}}{=} \{ D_1^1, \dots, D_k^1, D_1^2, \dots, D_k^2, D_1^3, \dots, D_k^3, \\ X_1, \dots, X_n, X_{n+1}, X'_1, \dots, X'_n, X'_{n+1}, Y_1, \dots, Y_k, A, S \}$$

and

$$\text{Act}(\Delta) \stackrel{\text{def}}{=} \{ d_1^1, \dots, d_k^1, d_1^2, \dots, d_k^2, d_1^3, \dots, d_k^3, x_1, \dots, x_n, \bar{x}_1, \dots, \bar{x}_n, a, s \}.$$

For each  $i$ ,  $1 \leq i \leq n$ , let

$\alpha_i$  be a sequential composition (in some fixed ordering) of process constants  $D_j^r$  ( $1 \leq r \leq 3$  and  $1 \leq j \leq k$ ) such that

- $D_j^1$  appears in  $\alpha_i$  iff the literal  $x_i$  occurs in  $D_j$  in the first position
- $D_j^2$  appears in  $\alpha_i$  iff the literal  $x_i$  occurs in  $D_j$  in the second position
- $D_j^3$  appears in  $\alpha_i$  iff the literal  $x_i$  occurs in  $D_j$  in the third position

$\bar{\alpha}_i$  be a sequential composition (in some fixed ordering) of process constants  $D_j^r$  ( $1 \leq r \leq 3$  and  $1 \leq j \leq k$ ) such that

- $D_j^1$  appears in  $\bar{\alpha}_i$  iff the literal  $\neg x_i$  occurs in  $D_j$  in the first position
- $D_j^2$  appears in  $\bar{\alpha}_i$  iff the literal  $\neg x_i$  occurs in  $D_j$  in the second position
- $D_j^3$  appears in  $\bar{\alpha}_i$  iff the literal  $\neg x_i$  occurs in  $D_j$  in the third position.

The set of transition rules  $\Delta$  is given by

$$\begin{array}{lll}
X_i \xrightarrow{x_i} X_{i+1} \cdot \alpha_i & X'_i \xrightarrow{x_i} X'_{i+1} \cdot \alpha_i & \text{for } 1 \leq i \leq n \\
X_i \xrightarrow{\bar{x}_i} X_{i+1} \cdot \bar{\alpha}_i & X'_i \xrightarrow{\bar{x}_i} X'_{i+1} \cdot \bar{\alpha}_i & \text{for } 1 \leq i \leq n \\
X_{n+1} \xrightarrow{a} Y_j & X'_{n+1} \xrightarrow{a} Y_j & \text{for } 1 \leq j \leq k \\
X'_{n+1} \xrightarrow{a} A & & \\
\\
A \xrightarrow{a} A & & \\
A \xrightarrow{\tau} \epsilon & & \\
\\
S \xrightarrow{s} S & & \\
\\
Y_j \xrightarrow{d_j^1} S & Y_j \xrightarrow{d_j^2} S & Y_j \xrightarrow{d_j^3} S & \text{for } 1 \leq j \leq k \\
Y_j \xrightarrow{a} Y_j & & & \text{for } 1 \leq j \leq k \\
Y_j \xrightarrow{\tau} \epsilon & & & \text{for } 1 \leq j \leq k \\
\\
D_j^1 \xrightarrow{d_j^1} S & D_j^2 \xrightarrow{d_j^2} S & D_j^3 \xrightarrow{d_j^3} S & \text{for } 1 \leq j \leq k \\
D_j^1 \xrightarrow{\tau} \epsilon & D_j^2 \xrightarrow{\tau} \epsilon & D_j^3 \xrightarrow{\tau} \epsilon & \text{for } 1 \leq j \leq k.
\end{array}$$

The intuition is that the attacker plays in  $X'_1$  and generates some truth assignment. When he reaches the process constant  $A$ , the defender chooses an implicant that is satisfied by the truth assignment by performing a transition  $X_{n+1} \xrightarrow{a} Y_j$ . The attacker can now test whether this implicant is indeed satisfied.

**Lemma 4.3.** If  $(X_1, \Delta) \approx (X'_1, \Delta)$  then  $D$  is true.

*Proof.* For the sake of contradiction suppose that  $D$  is false, i.e., there is some assignment of truth values for  $x_1, \dots, x_n$  such that  $D_1 \vee D_2 \vee \dots \vee D_k$  is false, which means that for each  $j$ ,  $1 \leq j \leq k$ , there is at least one false literal in  $D_j$ . We show that the attacker has a winning strategy in the bisimulation game. First, the attacker plays in  $X'_1$  generating this false assignment and finally he uses the transition  $X'_{n+1} \xrightarrow{a} A$ . The defender can only respond by performing the same actions  $x_i/\bar{x}_i$  with the final transition  $X_{n+1} \xrightarrow{a} Y_j$  for some  $j$  (observe that the defender cannot use the transition  $Y_j \xrightarrow{\tau} \epsilon$ , otherwise the attacker wins immediately). Now the attacker changes the processes and plays  $Y_j \xrightarrow{d_j^r} S$ , where  $r$  is a position of a false literal in  $D_j$ . This means that the defender loses, since he has no response to this move.  $\square$

Note that the winning strategy for the attacker in the proof above requires only one switching of sides (from the side of  $X'_1$  to the side of  $X_1$ ).

**Lemma 4.4.** If  $D$  is true then  $(X_1, \Delta) \approx (X'_1, \Delta)$ .

*Proof.* We show that the defender has a winning strategy. Whatever the attacker performs during the first  $n$  moves the defender imitates in the other process. Finally we get

a pair of processes  $X_{n+1}.\alpha$  and  $X'_{n+1}.\alpha$ . If the attacker chooses the rule  $X_{n+1} \xrightarrow{a} Y_j$  for some  $j$  then he loses, since the defender can do the same move in  $X'_{n+1}.\alpha$  and make the resulting processes equal. The same happens if the attacker chooses the rule  $X'_{n+1} \xrightarrow{a} Y_j$  for some  $j$  in the second process. So the only possibility for the attacker to win is to move under  $a$  to  $A.\alpha$  in the second process. The defender answers by performing  $X_{n+1} \xrightarrow{a} Y_j$ , where  $D_j$  is an implicant which makes the formula  $D_1 \vee D_2 \vee \dots \vee D_k$  true. Now the attacker has to switch processes since if he continues in  $A.\alpha$  doing the  $\tau$  action, he loses again (the defender can make the two processes equal). In the process  $Y_j.\alpha$  the attacker has essentially two possibilities. He can perform  $Y_j \xrightarrow{d_j^r} S$  for some  $r$ ,  $1 \leq r \leq 3$ . However, the defender can perform some sequence of  $\tau$  actions to enable  $d_j^r$  in the second process and then he performs the transition  $D_j^r \xrightarrow{d_j^r} S$ . As  $S$  is unnormed, the resulting processes are bisimilar (since  $(S.\beta, \Delta) \approx (S.\beta', \Delta)$  for any  $\beta$  and  $\beta'$ ). The other attacker's possibility is to perform first  $Y_j \xrightarrow{\tau} \epsilon$ , but then he loses as well (the resulting processes can be made equal). Thus the defender has a winning strategy, which means that  $(X_1, \Delta) \approx (X'_1, \Delta)$ .  $\square$

The proof of Theorem 4.3 is then a consequence of Lemma 4.3, Lemma 4.4, Theorem 4.1 and the fact that both  $(X_1, \Delta)$  and  $(X'_1, \Delta)$  are finite-state processes.  $\square$

Corollary 4.1 and Theorem 4.3 show that weak regularity for BPA is both *NP* and *co-NP*-hard. We use these results to obtain *DP*-hardness. The class *DP* is defined as follows (Papadimitriou 1994). A language  $L$  is in *DP* iff there are two languages  $L_1 \in NP$  and  $L_2 \in co-NP$  such that  $L = L_1 \cap L_2$ . Obviously  $NP \cup co-NP$  is contained in *DP* and moreover the other inclusion is unlikely. We show that weak regularity is *DP*-hard by demonstrating a reduction from the SAT-UNSAT problem (Papadimitriou 1994).

---



---

<b>Problem:</b>	<u>SAT-UNSAT</u>
<b>Instance:</b>	Two Boolean formulas $\phi_1$ and $\phi_2$ .
<b>Question:</b>	Is $\phi_1$ satisfiable and $\phi_2$ is not?

---



---

**Theorem 4.4.** Weak regularity of BPA is *DP*-hard.

*Proof.* As we know that weak regularity is both *NP* and *co-NP*-hard, we can construct in polynomial time processes  $(P_1, \Delta)$  and  $(P_2, \Delta)$  such that  $(P_1, \Delta)$  is weakly regular iff  $\phi_1$  is satisfiable, and  $(P_2, \Delta)$  is weakly regular iff  $\phi_2$  is not satisfiable. Let us now construct a process  $(P, \Delta')$  such that  $(P, \Delta')$  is weakly regular iff  $\phi_1$  is satisfiable and  $\phi_2$  is not. We define  $Const(\Delta') \stackrel{\text{def}}{=} Const(\Delta) \cup \{P\}$  and  $Act(\Delta') \stackrel{\text{def}}{=} Act(\Delta) \cup \{a_1, a_2\}$  where  $P$  is a new process constant and  $a_1, a_2$  are new actions. The set  $\Delta'$  contains all the rules from  $\Delta$  together with

$$P \xrightarrow{a_1} P_1 \quad P \xrightarrow{a_2} P_2.$$

Obviously  $(P, \Delta')$  is regular iff both  $(P_1, \Delta)$  and  $(P_2, \Delta)$  are regular. This proves that  $(P, \Delta')$  is weakly regular iff  $\phi_1$  is satisfiable and  $\phi_2$  is not.  $\square$

### 5. Hardness of Strong Bisimilarity for BPP

In this section we give a simple proof of Theorem 4 from (Mayr 2000a).

<b>Problem:</b>	Strong bisimilarity of BPP
<b>Instance:</b>	Two BPP processes $(P_1, \Delta)$ and $(P_2, \Delta)$ .
<b>Question:</b>	$(P_1, \Delta) \sim (P_2, \Delta)$ ?

**Theorem 5.1.** Strong bisimilarity of BPP is *co-NP*-hard.

*Proof.* We establish a reduction from 3-SAT COMPLEMENT, similarly as in the proof of Theorem 4.3. Let

$$D \equiv \forall x_1 \forall x_2 \dots \forall x_n. D_1 \vee D_2 \vee \dots \vee D_k$$

be an instance of 3-SAT COMPLEMENT, where each implicant  $D_j$ ,  $1 \leq j \leq k$ , is a conjunction of three literals. We define BPP processes  $(X_1, \Delta)$  and  $(X'_1, \Delta)$ , where

$$\text{Const}(\Delta) \stackrel{\text{def}}{=} \{D_1^1, \dots, D_k^1, D_1^2, \dots, D_k^2, D_1^3, \dots, D_k^3, \\ X_1, \dots, X_n, X_{n+1}, X'_1, \dots, X'_n, X'_{n+1}, Y_1, \dots, Y_k\}$$

and

$$\text{Act}(\Delta) \stackrel{\text{def}}{=} \{d_1^1, \dots, d_k^1, d_1^2, \dots, d_k^2, d_1^3, \dots, d_k^3, x_1, \dots, x_n, \bar{x}_1, \dots, \bar{x}_n, a\}.$$

For each  $i$ ,  $1 \leq i \leq n$ , let  $\alpha_i$  and  $\bar{\alpha}_i$  have the same definition as in the proof of Theorem 4.3. The only difference is that we replace the sequential composition with the parallel one.

The set of transition rules  $\Delta$  is given by

$$\begin{array}{lll} X_i \xrightarrow{x_i} X_{i+1} \parallel \alpha_i & X'_i \xrightarrow{x_i} X'_{i+1} \parallel \alpha_i & \text{for } 1 \leq i \leq n \\ X_i \xrightarrow{\bar{x}_i} X_{i+1} \parallel \bar{\alpha}_i & X'_i \xrightarrow{\bar{x}_i} X'_{i+1} \parallel \bar{\alpha}_i & \text{for } 1 \leq i \leq n \\ X_{n+1} \xrightarrow{a} Y_j & X'_{n+1} \xrightarrow{a} Y_j & \text{for } 1 \leq j \leq k \\ & X'_{n+1} \xrightarrow{a} \epsilon & \\ \\ Y_j \xrightarrow{d_j^1} Y_j & Y_j \xrightarrow{d_j^2} Y_j & Y_j \xrightarrow{d_j^3} Y_j & \text{for } 1 \leq j \leq k \\ D_j^1 \xrightarrow{d_j^1} D_j^1 & D_j^2 \xrightarrow{d_j^2} D_j^2 & D_j^3 \xrightarrow{d_j^3} D_j^3 & \text{for } 1 \leq j \leq k. \end{array}$$

**Lemma 5.1.** If  $(X_1, \Delta) \sim (X'_1, \Delta)$  then  $D$  is true.

*Proof.* For the sake of contradiction suppose that  $D$  is false, i.e., there is some assignment of truth values for  $x_1, \dots, x_n$  such that  $D_1 \vee D_2 \vee \dots \vee D_k$  is false, which means that for each  $j$ ,  $1 \leq j \leq k$ , there is at least one false literal in  $D_j$ . We show that the attacker has a winning strategy in the bisimulation game. First, the attacker plays in  $X'_1$  generating this false assignment and finally he uses the transition  $X'_{n+1} \xrightarrow{a} \epsilon$ . The defender can only respond by performing the same actions  $x_i/\bar{x}_i$  with the final transition

$X_{n+1} \xrightarrow{a} Y_j$  for some  $j$ . Now the attacker changes the processes and plays  $Y_j \xrightarrow{d_j^r} S$ , where  $r$  is a position of a false literal in  $D_j$ . This means that the defender loses, since he has no response to this move.  $\square$

**Lemma 5.2.** If  $D$  is true then  $(X_1, \Delta) \sim (X'_1, \Delta)$ .

*Proof.* We show that the defender has a winning strategy. Whatever the attacker performs during the first  $n$  moves the defender imitates in the other process (note that the attacker cannot win by performing  $d_j^m$  for some  $1 \leq m \leq 3$  and  $1 \leq j \leq k$  until  $X_{n+1}$  and  $X'_{n+1}$  are reached). Finally we get a pair of processes  $X_{n+1} \parallel \alpha$  and  $X'_{n+1} \parallel \alpha$ . If the attacker chooses the rule  $X_{n+1} \xrightarrow{a} Y_j$  for some  $j$  then he loses, since the defender can do the same move in  $X'_{n+1} \parallel \alpha$  and make the resulting processes equal. The same happens if the attacker chooses the rule  $X'_{n+1} \xrightarrow{a} Y_j$  for some  $j$  in the second process. So the only possibility for the attacker to win is to move under  $a$  to  $\alpha$  in the second process. The defender answers by performing  $X_{n+1} \xrightarrow{a} Y_j$ , where  $D_j$  is the implicant which makes the formula  $D_1 \vee D_2 \vee \dots \vee D_k$  true. However, since  $D_j$  is true, then  $Y_j \parallel \alpha \sim \alpha$ . So the defender has a winning strategy, which means that  $(X_1, \Delta) \sim (X'_1, \Delta)$ .  $\square$

Thus the problem of strong bisimilarity for BPP is *co-NP*-hard because of Lemma 5.1 and Lemma 5.2.  $\square$

## 6. Conclusion

In the following tables we summarise known results about weak bisimilarity and regularity problems for BPA, BPP and PA. The results obtained in this paper are in boldface. Question mark means that there has not been any known lower bound yet.

	weak bisimilarity	weak bisimilarity of normed processes
BPA	<i>PSPACE</i> -hard (Stribrna 1998b)	<i>NP</i> -hard (Stribrna 1998b)
BPP	<i>NP</i> -hard (Stribrna 1998b) $\Pi_2^P$ -hard (Mayr 2000a) <b>PSPACE-hard</b>	<i>NP</i> -hard (Stribrna 1998b) <b>PSPACE-hard</b>
PA	<i>PSPACE</i> -hard (Stribrna 1998b) <b>PSPACE-hard</b>	<i>NP</i> -hard (Stribrna 1998b) <b>PSPACE-hard</b>

For the case of weak bisimilarity in the class of PA, the result in this paper is more general, since our processes are weakly regular, which is not the case for the result by Stribrna.

	weak regularity	weak regularity of normed processes
BPA	? <b>DP-hard</b>	? <b>NP-hard</b>
BPP	$\Pi_2^P$ -hard (Mayr 2000a) <b>PSPACE-hard</b>	? <b>PSPACE-hard</b>
PA	$\Pi_2^P$ -hard (Mayr 2000a) <b>PSPACE-hard</b>	? <b>PSPACE-hard</b>

We remind the reader of the fact that *DP*-hardness means in particular both *NP* and *co-NP*-hardness. Our results could indicate that (unlike the case of strong bisimilarity) there is not much difference between complexity of weak bisimilarity/regularity for normed and unnormed processes — e.g. weak bisimilarity and regularity is *PSPACE*-hard for both normed and unnormed BPP. However, we still use only little of the power of bisimilarity since in our proofs the attacker switches the sides of processes at most once. Perhaps, more clever reductions can improve the lower bounds by exploiting the possibility of switching sides in the bisimulation game arbitrary number of times. This could also show a substantial difference between the normed and unnormed case, which is known to be so delicate when considering strong bisimilarity.

**Final remark.** After the acceptance of this paper, the author further developed some of the techniques presented here and achieved a *PSPACE* lower bound for strong bisimilarity and strong regularity of BPP (Srba 2002), thus improving upon Theorem 5.1. He also claims that more involved techniques can be used to show *PSPACE*-hardness of strong bisimilarity and strong regularity of BPA, which pushes the *DP* lower bound of weak regularity for BPA to *PSPACE*.

**Acknowledgement.** I would like to thank my advisor Mogens Nielsen for his kind supervision and encouragement, and the referees for useful comments.

## References

- Baeten, J.C.M., Bergstra, J.A., and Klop, J.W. (1987). On the consistency of Koomen’s fair abstraction rule. *Theoretical Computer Science*, 51(1-2):129–176.
- Baeten, J.C.M. and Weijland, W.P. (1990). *Process Algebra*. Number 18 in Cambridge Tracts in Theoretical Computer Science. Cambridge University Press.
- Bouajjani, A., Esparza, J., and Maler, O. (1997). Reachability analysis of pushdown automata: Application to model-checking. In *CONCUR ’97: Concurrency Theory, 8th International Conference*, volume 1243 of *LNCS*, pages 135–150. Springer-Verlag.
- Burkart, O., Caucal, D., and Steffen, B. (1995). An elementary decision procedure for arbitrary context-free processes. In *Proceedings of MFCS’95*, volume 969 of *LNCS*, pages 423–433. Springer-Verlag.

- Burkart, O., Caucal, D., and Steffen, B. (1996). Bisimulation collapse and the process taxonomy. In *Proceedings of CONCUR'96*, volume 1119 of *LNCS*, pages 247–262. Springer-Verlag.
- Burkart, O. and Esparza, J. (1997). More infinite results. *Bulletin of the European Association for Theoretical Computer Science*, 62:138–159. Columns: Concurrency.
- Christensen, S., Hirshfeld, Y., and Moller, F. (1993). Bisimulation is decidable for basic parallel processes. In *Proceedings of CONCUR'93*, volume 715 of *LNCS*, pages 143–157. Springer-Verlag.
- Christensen, S., Hüttel, H., and Stirling, C. (1995). Bisimulation equivalence is decidable for all context-free processes. *Information and Computation*, 121:143–148.
- Esparza, J. (1995). Petri nets, commutative context-free grammars, and basic parallel processes. In *Proceedings of FCT'95*, volume 965 of *LNCS*, pages 221–232. Springer-Verlag.
- Hirshfeld, Y. (1996). Bisimulation trees and the decidability of weak bisimulations. In *Proceedings of the the First International Workshop on Verification of Infinite State Systems (Infinity'96)*, volume 5 of *ENTCS*. Springer-Verlag.
- Hirshfeld, Y., Jerrum, M., and Moller, F. (1996a). A polynomial algorithm for deciding bisimilarity of normed context-free processes. *Theoretical Computer Science*, 158(1–2):143–159.
- Hirshfeld, Y., Jerrum, M., and Moller, F. (1996b). A polynomial-time algorithm for deciding bisimulation equivalence of normed basic parallel processes. *Mathematical Structures in Computer Science*, 6(3):251–259.
- Jancar, P. and Esparza, J. (1996). Deciding finiteness of Petri nets up to bisimilarity. In *Proceedings of ICALP'96*, volume 1099 of *LNCS*, pages 478–489. Springer-Verlag.
- Jancar, P., Kucera, A., and Mayr, R. (1998). Deciding bisimulation-like equivalences with finite-state processes. In *Proceedings of the Annual International Colloquium on Automata, Languages and Programming (ICALP'98)*, volume 1443 of *LNCS*. Springer-Verlag.
- Jategaonkar, L. and Meyer, A.R. (1996). Deciding true concurrency equivalences on safe, finite nets. *Theoretical Computer Science*, 154(1):107–143.
- Kucera, A. (1996). Regularity is decidable for normed PA processes in polynomial time. In *Proceedings of FST&TCS'96*, volume 1180 of *LNCS*, pages 111–122. Springer-Verlag.
- Kucera, A. and Mayr, R. (1999). Weak bisimilarity with infinite-state systems can be decided in polynomial time. In *Proceedings of the 10th International Conference on Concurrency Theory (CONCUR'99)*, volume 1664 of *LNCS*. Springer-Verlag.
- Mayr, R. (1998). Strict lower bounds for model checking BPA. In *Proceedings of the MFCS'98 Workshop on Concurrency*, volume 18 of *ENTCS*. Springer-Verlag.
- Mayr, R. (2000a). On the complexity of bisimulation problems for basic parallel processes. In *Proceedings of 27th International Colloquium on Automata, Languages and Programming (ICALP'00)*, volume 1853 of *LNCS*, pages 329–341. Springer-Verlag.
- Mayr, R. (2000b). On the complexity of bisimulation problems for pushdown automata. In *IFIP International Conference on Theoretical Computer Science (IFIP TCS'2000)*, volume 1872 of *LNCS*. Springer-Verlag.
- Mayr, R. (2000c). Process rewrite systems. *Information and Computation*, 156(1):264–286.
- Milner, R. (1989). *Communication and Concurrency*. Prentice-Hall.
- Moller, F. (1996). Infinite results. In *Proceedings of CONCUR'96*, volume 1119 of *LNCS*, pages 195–216. Springer-Verlag.
- Papadimitriou, C.H. (1994). *Computational Complexity*. Addison-Wesley, New York.
- Park, D.M.R. (1981). Concurrency and automata on infinite sequences. In *Proceedings 5<sup>th</sup> GI Conference*, volume 104 of *LNCS*, pages 167–183. Springer-Verlag.
- Plotkin, G. (1981). A structural approach to operational semantics. Technical Report Daimi FN-19, Department of Computer Science, University of Aarhus.

- Srba, J. (2002). Strong bisimilarity and regularity of basic parallel processes is PSPACE-hard. In *Proceedings of the 19th International Symposium on Theoretical Aspects of Computer Science (STACS'02)*, LNCS. Springer-Verlag. To appear.
- Stirling, C. (1995). Local model checking games. In *Proceedings of the 6th International Conference on Concurrency Theory (CONCUR'95)*, volume 962 of LNCS, pages 1–11. Springer-Verlag.
- Stirling, C. (2001). Decidability of weak bisimilarity for a subset of basic parallel processes. In *Proceedings of the 4th International Conference on Foundations of Software Science and Computation Structures (FOSSACS'01)*, volume 2030 of LNCS, pages 379–393. Springer-Verlag.
- Stribrna, J. (1998a). *Decidability and complexity of equivalences on simple process algebras*. PhD thesis, University of Edinburgh.
- Stribrna, J. (1998b). Hardness results for weak bisimilarity of simple process algebras. In *Proceedings of the MFCS'98 Workshop on Concurrency*, volume 18 of ENTCS. Springer-Verlag.
- Stribrna, J. (1999). Approximating weak bisimulation on basic process algebras. In *Proceedings of 24th International Symposium on Mathematical Foundations of Computer Science (MFCS'99)*, volume 1672 of LNCS, pages 336–375. Springer-Verlag.
- Thomas, W. (1993). On the Ehrenfeucht-Fraïssé game in theoretical computer science (extended abstract). In *Proceedings of the 4th International Joint Conference CAAP/FASE, Theory and Practice of Software Development (TAPSOFT'93)*, volume 668 of LNCS, pages 559–568. Springer-Verlag.
- Walukiewicz, I. (1996). Pushdown processes: Games and model checking. In *International Conference on Computer-Aided Verification (CAV'96)*, volume 1102 of LNCS, pages 62–74. To appear in Information and Computation.